



PRODUCT NAME : Ultrasonic Transducer Pair for Arduino/Raspberry-Pi /Robotics

PRICE : Rs 250.00

SKU : RM0434



SEE THE PRODUCT PAGE FOR MORE DETAILS Copyrights by Robomart.com

DESCRIPTION

The ultrasonic transducer is the passive transducer that converts from ultrasound waves into electrical signal or vice-versa.

Features of Ultrasonic Transducer Pair:

- Ideal for use in Beam Detection Systems.
- Sensitivity: >-65dB.
- Nominal Frequency: 40kHz.
- Maximum Driving Voltage: 20Vrms.
- Operating Temperature: -20oC to +70oC.
- Dimensions: 16.2mm Diameter, 12.2mm High excluding pins, Pins - 10mm High.

Applications of Ultrasonic Transducer Pair:

- Alarm system.
- Object detection.
- DIY projects.
- Robotics projects.
- Arduino projects.
- Raspberry-Pi projects.
- Electrical/Electronic projects.

Also Searched as : **ultrasonic transducer pdf, ultrasonic transducer frequency, ultrasonic transducer circuit, ultrasonic transducer arduino, ultrasonic transducer price, ultrasonic transducer application, ultrasonic transducer working, ultrasonic transducer wiki.**

ADDITIONAL IMAGES

ROBOMART.com™



ROBOMART.com™



NOTE: THE PRODUCT MAY BE DIFFER FROM IMAGE SHOWN ABOVE. Copyrights by Robomart.com

ROBOMART.com™



NOTE: THE PRODUCT MAY BE DIFFER FROM IMAGE SHOWN ABOVE. Copyrights by Robomart.com