




PRODUCT NAME : 16x1 Character LCD D
isplay for Arduino/Raspberry-Pi
/Robotics


PRICE : Rs 145.00
SKU : RM0802



www.robomart.com © Copyrights by Robomart.com

DESCRIPTION

This is a basic 16 character by 1 line display. Black text on Green background. This is based on the most common Hitachi's HD44780 parallel interface chipset. The HD44780U dot-matrix liquid crystal display controller and driver LSI displays alpha numeric, Japanese kana characters, and symbols.



Features of 16x1 Character LCD Display:

- 5 × 8 and 5 × 10 dot matrix possible.
- Low power operation support:2.7 to 5.5V.
- Wide range of liquid crystal display driver power: 3.0 to 11V.
- Liquid crystal drive waveform: A (One line frequency AC waveform).
- Correspond to high speed MPU bus interface: 2 MHz (when VCC = 5V).
- 4-bit or 8-bit MPU interface enabled.
- 80 × 8-bit display RAM (80 characters max.).
- 9,920-bit character generator ROM for a total of 240 character fonts.
- 208 character fonts (5 × 8 dot).
- 32 character fonts (5 × 10 dot).

Applications of 16x1 Character LCD Display:

- Password based door locked system.
- Moving message display.

- GSM based digital notice board.
- Electrical/electronic device display unit.
- 8051/AVR/ARM/PIC/Arduino/Raspberry-pi based projects.

Also Searched as: **LCD Display, 16x1 Character, 16x1 Character LCD Display, Buy 16x1 Character LCD Display, 16x1 Character LCD Display For Arduino, 16x1 Character LCD Display For Robotics, 16x1 Character LCD Display Price in India, 16x1 Character LCD Display For Raspberry Pi, character lcd display, lcd character display, lcd display price, 16x1 lcd display, character lcd.**